Application No. 10/599,003

Amendment dated March 2, 2010

After Final Office Action of January 13, 2010

Docket No.: 20239/0204681-US0

AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior listings of claims presented in the

application.

Claim 1 (Currently Amended): A soft magnetic material used to make powder magnetic cores

comprising:

a plurality of composite magnetic particles formed from a metal magnetic particle and an

insulative coating surrounding a surface of said metal magnetic particle and containing metallic salt

phosphate[[,]]; and

a lubricant formed as fine particles comprising zinc stearate, wherein:

said lubricant is added at a proportion of at least 0.001 percent by mass and no more than

0.01 percent by mass relative to said plurality of composite magnetic particles, wherein: and

said lubricant formed as fine particles has a mean particle diameter of no more than 2.0

microns.

Claims 2-8 (Canceled)

Claim 9 (Currently Amended): A soft magnetic material used to make powder magnetic cores

comprising:

a plurality of composite magnetic particles formed from a metal magnetic particle and an

insulative coating surrounding a surface of said metal magnetic particle and containing an oxide

selected from the group consisting of silicon oxide, titanium oxide, aluminum oxide and zirconium

oxide or alloys thereof; and

a lubricant formed as fine particles comprising zinc stearate, wherein:

2

4759091.1 0204681-US0

Application No. 10/599,003 Docket No.: 20239/0204681-US0

Amendment dated March 2, 2010

After Final Office Action of January 13, 2010

said lubricant is added at a proportion of at least 0.001 percent by mass and no more than

. 0.01 percent by mass relative to said plurality of composite magnetic particles, wherein: and

said lubricant formed as fine particles has a mean particle diameter of no more than 2.0

microns.

Claims 10 - 16 (Canceled).

Claim 17 (Currently amended): The A powder magnetic core comprising a soft magnetic material

according to claim 1, wherein the soft magnetic material comprises:

a plurality of composite magnetic particles formed from a metal magnetic particle and an

insulative coating surrounding a surface of said metal magnetic particle and containing metallic salt

phosphate; and

a lubricant formed as fine particles added at a proportion of at least 0.001 percent by mass

and no more than 0.01 percent by mass relative to said plurality of composite magnetic particles,

and

said lubricant formed as fine particles has a mean particle diameter of no more than 2.0

microns, wherein

the powder magnetic core exhibits an iron loss of less than or equal to 200194W/kg.

Claim 18 (Currently amended): The A powder magnetic core comprising a soft magnetic material

according to claim 1, wherein the soft magnetic material comprises:

a plurality of composite magnetic particles formed from a metal magnetic particle and an

insulative coating surrounding a surface of said metal magnetic particle and containing an oxide

3

4759091.1 0204681-US0

selected from the group consisting of silicon oxide, titanium oxide, aluminum oxide and zirconium oxide or alloys thereof; and

a lubricant formed as fine particles added at a proportion of at least 0.001 percent by mass and no more than 0.01 percent by mass relative to said plurality of composite magnetic particles, wherein:

said lubricant formed as fine particles has a mean particle diameter of no more than 2.0 microns, wherein

the powder magnetic core exhibits an iron loss of less than or equal to 200194 W/kg.

Claim 19 (New): The powder magnetic core comprising a soft magnetic material according to claim 17, wherein the lubricant comprises zinc stearate.

Claim 20 (New): The powder magnetic core comprising a soft magnetic material according to claim 18, wherein the lubricant comprises zinc stearate.